

Bibliography of Douglas-fir ecological genetics, evolutionary genetics, physiological genetics, and tree breeding. Howe, G.T. 2006.

- Aagaard, J.E., Vollmer, S.S., Sorensen, F.C., and Strauss, S.H. 1995. Mitochondrial DNA products among RAPD profiles are frequent and strongly differentiated between races of Douglas-fir. *Mol. Ecol.* 4:441-447.
- Adams, W.T. 1992. Gene dispersal within forest tree populations. *New Forests* 6:217-240.
- Adams, W.T., Aitken, S.N., Joyce, D.G., Howe, G.T., and Vargas-Hernandez, J. 2001. Evaluating efficacy of early testing for stem growth in coastal Douglas-fir. *Silvae Genet.* 50:167-175.
- Adams, W.T., and Bastien, J.-C. 1994. Genetics of second flushing in a French plantation of coastal Douglas-fir. *Silvae Genet.* 43:345-352.
- Adams, W.T., and Campbell, R.K. 1981. Genetic adaptation and seed source specificity. In Hobbs S.D., and Helgerson, O.T. (eds.), *Reforestation of skeletal soils*, Proc. Reforestation Workshop, Medford, OR, 17-19 Nov. 1981, Forest Research Laboratory, Oregon State University, Corvallis. pp. 78-85.
- Adams, W.T., Hipkins, V.D., Burczyk, J., and Randall, W.K. 1997. Pollen contamination trends in a maturing Douglas-fir seed orchard. *Can. J. For. Res.* 27:131-134.
- Adams, W.T., Johnson, G., Copes, D.L., and others. 1990. Is research keeping up with the needs of Douglas-fir tree improvement programs? *Western Journal of Applied Forestry.* 5:135-137.
- Aitken S.N., and Adams, W.T. 1996. Genetics of fall and winter cold hardiness of coastal Douglas-fir in Oregon. *Can. J. For. Res.* 26:1828-1837.
- Aitken, S.N. 2000. Plenary address: Conserving adaptive variation in forest ecosystems. *J. Sust. For.* 10:1-12.
- Aitken, S.N., Adams, W.T., Schermann, N., and Fuchigami, L.H. 1996. Family variation for fall cold hardiness in two Washington populations of coastal Douglas-fir (*Pseudotsuga menziesii* var. *menziesii* [Mirb.] Franco). *For. Ecol. Manage.* 80:187-195.
- Aitken, S.N., and Adams, W.T. 1995. Impacts of genetic selection for height growth on annual developmental cycle traits in coastal Douglas-fir. In *Evolution of breeding strategies for conifers from the Pacific Northwest*. Joint meeting of the IUFRO Working Parties S2.02.05 (Douglas-fir), S2.02.06 (*Pinus contorta*), S2.02.12 (Sitka spruce) and S2.02.14 (*Abies*), August 1- 4, 1995, Limoges, France. INRA, Station d'Amelioration des Arbres Forestiers, Ardon, France. AD1:1-8.
- Aitken, S.N., and Adams, W.T. 1995. Screening for cold hardiness in coastal Douglas-fir. In *Eucalypt plantations: Improving fibre yield and quality*. Potts, B.M., Borralho, N.M.G., Reid, J.B., Cromer, R.N., Tibbits, W.N., and Raymond, C.A. (eds.). Proc. CRC/IUFRO Conference, February 19-24, 1994, Hobart, Australia. CRC for Temperate Hardwood Forestry, Hobart, Australia. pp. 321-324.
- Aitken, S.N., and Adams, W.T. 1996. Genetics of fall and winter cold hardiness of coastal Douglas-fir in Oregon. *Can. J. For. Res.* 26:1828-1837.
- Aitken, S.N., and Adams, W.T. 1997. Spring cold hardiness under strong genetic control in Oregon populations of *Pseudotsuga menziesii* var. *menziesii*. *Can. J. For. Res.* 27:1773-1780.
- Aitken, S.N., and Hannerz, M. 2001. Genecology and gene resource management strategies for conifer cold hardiness. In *Conifer cold hardiness*. Bigras, F.J., and Columbo, S.J. (eds.). Kluwer Academic Publishers, Dordrecht, The Netherlands. pp. 23-53.
- Allen, G.S. 1942. Douglas-fir (*Pseudotsuga taxifolia* (Lamb.) Britt). A summary of its life history. B.C. For. Serv. Res. Note No. 9. 27 p.
- Allen, G.S. 1942. Douglas-fir seed from young trees. *J. For.* 40:722-723.
- Allen, G.S. 1942. Parthenocarpy, parthenogenesis and self-sterility of Douglas-fir. *J. For.* 40:642-644.
- Allen, G.S. 1960. A method of distinguishing coastal from interior Douglas-fir seed. B.C. Lumberman 44:26-30.
- Allen, G.S. 1962. Factors affecting the viability and germination behavior of coniferous seed. *For. Chron.* 38:485-496.

- Allen, G.S., and Sziklai., O. 1962. Pollination of Douglas-fir with water suspensions of pollen. *For. Sci.* 8:64-65.
- Allen, G.S., and Owens, J.N. 1972. The life history of Douglas-fir. *Inf. Can., Can. For. Serv.*, Ottawa. 139 p.
- Allen, V. 1963. Dennie Ahl Seed Orchard. *Olympic Natl. For., USDA For. Serv., Olympia, Wash.* 17 p.
- Amarasinghe, V., and Carlson, J.E. 2002. The development of microsatellite markers for genetic analysis in Douglas-fir. *Can. J. For. Res.* 32:1904-1915.
- Anderson, H.W., and Wilson, B.C. 1970. Top injury in young Douglas-fir plantation on the Olympic Peninsula. *Wash. Dep. Nat. Resources, DNR Note* 2. 6 p.
- Anekonda, T.S., Adams, W.T., and Aitken, S.N. 1998. Influence of second flushing on genetic assessment of cold hardiness in coastal Douglas-fir (*Pseudotsuga menziesii* var. *menziesii* (Mirb.) Franco). *For. Ecol. Manage.* 111:119-126.
- Anekonda, T.S., Adams, W.T., and Aitken, S.N. 2000. Cold hardiness testing for Douglas-fir tree improvement programs: Guidelines for a simple, robust and inexpensive screening method. *West. J. Appl. For.* 15:129-136.
- Anonymous. 1998. Best seed origins for Douglas-fir: Making headway with forest research. *Coillte Research and Development Infor. Note No. 17*, Newtownmountkennedy, County Wicklow, Ireland.
- Anonymous. 2004. Forest Genetics Council of British Columbia 2003/2004 Annual Rep.
- Arnott, J.T. 1986. Douglas-fir stand establishment overview: Coastal British Columbia. *In Douglas-fir: Stand management for the future*. Oliver, C.D., Hanley, D.P., and Johnson, J.A. (eds.). College of Forest Resources, University of Washington, Seattle. pp. 219-229.
- Balduman, L.M., Aitken, S.N., Harmon, M., and Adams, W.T. 1999. Genetic variation in cold hardiness of Douglas-fir in relation to parent tree environment. *Can. J. For. Res.* 29:62-72.
- Baldwin, H.L., and Murphy, D. 1956. Rocky Mountain Douglas-fir succeeds in New Hampshire. N.H. For. and Recreation Comm., Carolina A. Fox. Res. and Demonstr. For., Hillsboro. Fox For. Notes 67. 2 p.
- Barner, H., and Christiansen, H. 1962. The formation of pollen, the pollination mechanism and the determination of the most favorable time for controlled pollination in *Pseudotsuga menziesii*. *Silvae Genet.* 11:89-102.
- Bastien, J.-C., Roman-Amat, B., and Vonnet, G. 1985. Natural variability of some wood quality traits of coastal Douglas-fir in a French progeny test: Implications on breeding strategy. *In Proc. IUFRO Working Party S2.02.05*, Vienna, Austria, June 1985.
- Bellmann, E., and Schonbach, H. 1964. Chances of breeding coastal Douglas-fir for frost resistance. *Arch. fur Forstwes* (in German) 13:307-331.
- Berney, J.L.A. 1972. Studies on probable origin of some European Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) plantations. M.S. thesis, University B.C., Vancouver. 99 p.
- Bever, D.N. 1954. Evaluation of factors affecting natural reproduction of forest trees in central western Oregon. Oregon State Board of Forestry, Res. Bul. No. 3.
- Bhella, H.S., and Roberts, A.N. 1974. The influence of photoperiod and rooting temperature on rooting of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco). *Am. Soc. Hort. Sci.* 99:551-555.
- Bhella, H.S., and Roberts, A.N. 1975. Bud and cambial activity in Douglas-fir as related to stem cutting rootability. *For. Sci.* 21:269-274.
- Bialobok, S., and Mejnartowicz, L. 1970. Provenance differentiation among Douglas-fir seedlings. *Arbor. Kronickie, Rocz.* 15:197-219. Nadbitka.
- Bigras, F.J., Ryyppö, A., Lindström, A., and Stattin, E. 2001. Cold acclimation and deacclimation of shoots and roots of conifer seedlings. *In Conifer cold hardiness*. Bigras, F.J., and Columbo, S.J. (eds.). Kluwer Academic Publishers, Dordrecht, The Netherlands. pp. 57-88.
- Birot, Y., and Christophe, C. 1983. Genetic structures and expected genetic gains from multtrait selection in wild populations of Douglas-fir and Sitka spruce. *Silvae Genet.* 32:141-151.

- Black, D.K. 1973. Influences of shoot origin and certain pre and post-severance treatments on the rooting and growth characteristics of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) stem cuttings. Ph.D. thesis, Oregon State University, Corvallis. 143 p.
- Brandt, R.W. 1960. The *Rhabdocline* needle cast of Douglas-fir. Syracuse State University, Coll. For., Tech. Pub. No. 84. Syracuse, NY. 66 p.
- Breidenstein, J., Bastien, J.-C., and Roman-Amat, B. 1990. Douglas-fir range-wide variation results from the IUFRO data base. In Proc. Joint Meeting Western Forest Genetics Assoc. and IUFRO Working Parties S2.02-05, 06, 12, and 14 Douglas-fir, contorta pine, Sitka spruce, and *Abies* breeding and genetic resources, Olympia, WA, 20-24 Aug. 1990, Weyerhaeuser Co., Federal Way, WA. pp. 2.13-2.26.
- Brix, H., and Barker, H. 1969. Rooting of Douglas-fir and western hemlock cuttings. Can. Dep. For. Bimon. Res. Notes 25:22.
- Brix, H., and Barker, H. 1971. Trials in rooting of Douglas-fir cuttings by a paired-cutting technique. Can. J. For. Res. 1:121-125.
- Buell, J. 1965. Rocky Mountain Douglas-fir (*Pseudotsuga menziesii* var. *glauca* (Beissn.) Franco). In Silvics of forest trees of the United States. U.S. Dep. Agric., Agric. Handb. 271. pp. 554-556.
- Cafferata, S.L. 1986. Douglas-fir stand establishment overview: Western Oregon and Washington. In Douglas-fir: Stand management for the future. Oliver, C. D., Hanley, D.P., and Johnson, J.A. (eds.). College of Forest Resources, University Washington, Seattle. pp. 211-218.
- Campbell, R.K. 1961. Phenotypic variation and some estimates of repeatability in branching characteristics of Douglas-fir. *Silvae Genet.* 10:109-118.
- Campbell, R.K. 1963. Phenotypic correlation among branch and upper crown stem attributes in Douglas-fir. *For. Sci.* 9:444-451.
- Campbell, R.K. 1964. Recommended traits to be improved in a breeding program for Douglas-fir. Weyerhaeuser Res. Note. No. 57, Forestry Research Center, Timberland Division, Weyerhaeuser Company, Centralia, WA.
- Campbell, R.K. 1965. Phenotypic variation and repeatability of stem sinuosity in Douglas-fir. *Northwest Sci.* 39:47-59.
- Campbell, R.K. 1972. Genetic variability in juvenile height-growth of Douglas-fir. *Silvae Genet.* 21:126-129.
- Campbell, R.K. 1974. A provenance-transfer model for boreal regions. *Rep. Norwegian For. Res. Inst.* 31:545-566.
- Campbell, R.K. 1974. Use of phenology for examining provenance transfers in reforestation of Douglas-fir. *J. Appl. Ecol.* 11:1069-1080.
- Campbell, R.K. 1976. Adaptational requirements of planting stock. West. For. Conserv. Assoc. Perm. Comm. Proc., 66th West. For. Conf., 1975. pp. 103-107.
- Campbell, R.K. 1979. Genecology of Douglas-fir in a watershed in the Oregon Cascades. *Ecology* 60:1036-1050.
- Campbell, R.K. 1986. Mapped genetic variation of Douglas-fir to guide seed transfer in southwest Oregon. *Silvae Genet.* 35:85-96.
- Campbell, R.K. 1989. "Decision-tree" for planning second-generation breeding programs. In NWTIC Forest Tree Improvement Handbook. Daniels and Associates Consultants. Centralia, WA.
- Campbell, R.K. 1991. Soils, seed-zone maps, and physiography: Guidelines for seed transfer of Douglas-fir in southwestern Oregon. *For. Sci.* 37:973-986.
- Campbell, R.K. 1992. Genotype x environment interaction: a case study for Douglas-fir in western Oregon. USDA For. Serv. Res. Pap. PNW-RP-455, Portland, OR.
- Campbell, R.K., and Rediske, J.H. 1966. Genetic variability of photosynthetic efficiency and dry matter accumulation in seedling Douglas-fir. *Silvae Genet.* 15:65-72.
- Campbell, R.K., and Sorensen, F.C. 1973. Cold acclimation in seedling Douglas-fir related to phenology and provenance. *Ecology* 54:1148-1151.

- Campbell, R.K., and Sorensen, F.C. 1978. Effect of test environment on expression of clines and on delineation of seed zones in Douglas-fir. *Theor. Appl. Genet.* 51:223-246.
- Campbell, R.K., and Sorensen, F.C. 1979. A new basis for characterizing germination. *J. Seed Tech.* 4:24-34.
- Campbell, R.K., and Sugano, A.I. 1975. Phenology of bud burst in Douglas-fir related to photoperiod, chilling, and flushing temperature. *Bot. Gaz.* 136:290-298.
- Campbell, R.K., and Sugano, A.I. 1979. Genecology of bud-burst phenology in Douglas-fir: Response to flushing temperature and chilling. *Bot. Gaz.* 140:223-231.
- Campbell, R.K., and Sugano, A.I. 1993. Genetic variation and seed zones of Douglas-fir in the Siskiyou National Forest. *USDA For. Serv. Res. Pap. PNW-RP-461*. Portland, OR. 23 p.
- Campbell, R.K., and Wilson, B.C. 1973. Spacing-genotype interaction in Douglas-fir. *Silvae Genet.* 22:15-20.
- Campbell, R.K., Pawuk, W.A., and Harris, A.S. 1989. Microgeographic genetic variation of Sitka spruce in southeastern Alaska. *Can. J. For. Res.* 19:1004-1013.
- Cheng, T.Y., Cheah, K.T., Hasegawa, P.M., Kirby, E.G., and Yasuda, T. 1977. Development of tissue culture techniques for mass propagation of Douglas-fir. (Abstr.) *Proc. West. For. Genet. Assoc. Colo. State University*. pp. 3-4.
- Cheng, T. 1975. Adventitious bud formation in culture of Douglas-fir. *Plant Sci. Lett.* 5:97-102.
- Cherry, M.L., and Howe, G.T. (eds.). 2004. *Proc. Genetics and Growth Modeling Workshop*. Vancouver, WA, 4-6 Nov. 2003, Pacific Northwest Research Cooperative Report #21, Oregon State University, Corvallis.
- Ching, K.K. 1959. Hybridization between Douglas-fir and bigcone Douglas-fir. *For. Sci.* 5:246-254.
- Ching, K.K. 1960. Controlled pollination of Douglas-fir a pictorial manual on technique. *For. Lands Res. Cent., Oregon State University Res. Note* 40. 11 p.
- Ching, K.K., Aft, H., and Highley, T. 1966. Color variation in strobili of Douglas-fir. In *Proc. West. For. Genet. Assoc.* 1965:37-43.
- Ching, K.K., and Lavender, D.P. 1970. Effects of certain controlled environments upon incidence of prococious flowering in Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) seedlings. (Abstr.) First North Am. For. Biol. Workshop, Mich. State University, East Lansing.
- Ching, K.K., and Hinz, P.N. 1978. Provenance study of Douglas-fir in the Pacific Northwest region. *Silvae Genet.* 27:229-233.
- Ching, K.K. 1965. Early growth of Douglas-fir in a reciprocal planting. *Forest Research Laboratory Res. Pap. No. 3*, Oregon State University, Corvallis.
- Ching, T.M., and Ching, K.K. 1962. Physical and physiological changes in maturing Douglas-fir cones and seed. *For. Sci.* 8:21-31.
- Ching, T.M., and Ching, K.K. 1976. Rapid viability tests and aging study of some coniferous pollen. *Can. J. For. Res.* 6:516-522.
- Ching, K.K., and Doerksen, A. 1971. A natural chimera of Douglas-fir. *Silvae Genet.* 20:209-210.
- Chollet, F. 1986. Les vergers à graines forestiers. In *Amélioration génétique des arbres forestiers*. Revue Forestière Française, Numéro Spécial 38. pp. 74-80.
- Christiansen, H. 1963. On the chromosomes of *Pseudotsuga macrocarpa* and *Pseudotsuga menziesii*. *Silvae Genet.* 12:124-127.
- Christiansen, H. 1969. On the pollen grain and the fertilization mechanism of *Pseudotsuga menziesii*. *Silvae Genet.* 18:97-104.
- Christiansen, H. 1972. On the development of pollen and the fertilization mechanism of *Larix* and *Pseudotsuga menziesii*. *Silvae Genet.* 21:166-174.
- Christophe, C., and Birot, Y. 1979. Genetic variation within and between populations of Douglas-fir. *Silvae Genet.* 28:197-206.
- Conkle, M.T. 1974. Enzyme polymorphism in forest trees. In *Proc. Third North Am. For. Biol. Workshop*, Colo. State University, pp. 95-105.

- Copes, D.L. 1967. Graft incompatibility symptom development in Douglas-fir and orchard screening method. (Abstr.), Proc. West. For. Genet. Assoc. p. 4.
- Copes, D.L. 1967. Influence of cambial contact length on graft survival and leader elongation in Douglas-fir. USDA For. Serv. Res. Note PNW-69, Pac. Northwest For. and Range Exp. Stn., Portland, OR. 8 p.
- Copes, D.L. 1969. Effect of graft type on 6-month scion survival of field grown Douglas-fir grafts. USDA For. Serv Res. Note PNW-104, Pac. Northwest For. and Range Exp. Stn., Portland, OR. 5 p.
- Copes, D.L. 1970. Effect of date of grafting on survival in Douglas-fir. USDA For. Serv Res. Note PNW-135, Pac. Northwest For. and Range Exp. Stn., Portland, OR. 4 p.
- Copes, D.L. 1972. Inheritance of mega strobili color in Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco). Can. J. Bot. 50:2045-2048.
- Copes, D.L. 1973. Inheritance of graft compatibility in Douglas-fir. Bot. Gaz. 134:49-52.
- Copes, D.L. 1974. Genetics of graft rejection in Douglas-fir. Can. J. For. Res. 4:186-192.
- Copes, D.L. 1977. Influence of rooting media on root structure and rooting percentage of Douglas-fir cuttings. Silvae Genet. 26:102-106.
- Copes, D.L. 1985. Fertility of Douglas-fir pollen after one year of storage in liquid nitrogen. For. Sci. 31:569-574.
- Copes, D.L. 1989. Bark scoring problem grafts in five Douglas-fir seed orchards: a case history. USDA For. Serv. Res. Note PNW-RN-487, Portland, OR.
- Copes, D.L. 1999. Breeding graft-compatible Douglas-fir rootstocks (*Pseudotsuga menziesii* (Mirb.) Franco). Silvae Genet. 48:188-193.
- Copes, D.L., and Mandel, N.L. 2000. Effects of IBA and NAA treatments on rooting Douglas-fir stem cuttings. New Forests 20:249-257.
- Copes, D.L., O'Rourke, D.O., and Randall, W.K. 1995. Field testing a modified duster for supplemental mass pollination in Douglas-fir seed orchards. Tree Planters' Notes 46:118-125.
- Copes, D.L., Sorensen, F.C., and Silen, R. 1969. Douglas-fir seedling grows 8 feet tall in two seasons. J. For. 67:174-175.
- Copes, D.L., Vance, N.C., Randall, W.K., Jasumback, A., and Hallman, R. 1991. Vacuum collection of Douglas-fir pollen for supplemental mass pollinations. USDA For. Serv. Res. Note PNW-RN-503, Portland, OR.
- Cornu, D. 1973. Essais préliminaires sur la sélection de cônes Bouturables de Douglas (*Pseudotsuga menziesii* (Mirb.) Franco). Ann. Sci. For. 30:157-173.
- Cress, D. W., and Daniels, J. D. (eds). 1990. Forest Seed orchards of western Oregon, western Washington and northern California. Daniels and Associates Consultants. Centralia, WA.
- Curtis, R.O., Reukema, D.L., Silen, R.R., Fight, R., and Romancier, R.M. 1973. Intensive management of coastal Douglas-fir. Pacific Logging Congr. Loggers Handb. Vol. 33. 6 p.
- De-Vescovi, M.A., and Sziklai, O. 1975. Comparative karyotype analysis of Douglas-fir. Silvae Genet. 24:68-72.
- Dimock, E.J. II, Shen, R.R., and Allen, V.E. 1976. Genetic resistance in Douglas-fir to damage by snowshoe hare and black-tailed deer. For. Sci. 22:106-121.
- Dinus, R.J. 1968. Effect of red and far-red light upon growth of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) seedlings. Ph.D. thesis, Oregon State University, Corvallis, OR.
- Doerksen, A.H., and Ching, K.K. 1972. Karyotypes in the genus *Pseudotsuga*. For. Sci. 18:66-69.
- Duffield, J. 1954. Studies of extraction, testing and storage of pine pollen. Z. fur Forstgenetik 3:39-45.
- Duffield, J.W. 1956. Damage to western Washington forests from November 1955 cold wave. USDA For. Serv. Pac. Northwest For. Range Exp. Sta. Res. Note 129, Portland, OR.
- Ebell, L.F. 1967. Cone production induced by drought of potted Douglas-fir. Can. Dep. For. Bimonthly Res. Notes 23:26-27.
- Ebell, L.F. 1971. Girdling: Its effect on carbohydrate status and on reproductive bud and cone development of Douglas-fir. Can. J. Bot. 49:453-466.

- Ebell, L.F. 1972. Cone-induction response of Douglas-fir to form of nitrogen fertilizer and time of treatment. *Can. J. For. Res.* 2:317-326.
- Ebell, L.F., and Schmidt, R.L. 1964. Metrological factors affecting conifer pollen dispersal on Vancouver Island. *Dep. For. Can. Publ. No. 1036.* 28 p.
- Eis, S. 1973. Cone production of Douglas-fir and grand fir and its climatic requirements. *Can. J. For. Res.* 3:61-70.
- El-Kassaby, Y.A., and Davidson, R. 1991. Impact of pollination environment manipulation on the apparent outcrossing rate in a Douglas-fir seed orchard. *Heredity*. 66:55-59.
- El-Kassaby, Y.A., and G.R. Askew. 1991. The relation between reproductive phenology and reproductive output in determining the gametic pool profile in a Douglas-fir seed orchard. *For. Sci.* 37:827-835.
- El-Kassaby, Y.A., and Park, Y.S. 1993. Genetic variation and correlation in growth, biomass, and phenology of Douglas-fir diallel progeny at different spacings. *Silvae Genet.* 42:289-297.
- El-Kassaby, Y.A., and Ritland, K. 1986. The relation of outcrossing and contamination to reproductive phenology and supplemental mass pollination in a Douglas-fir seed orchard. *Silvae Genet.* 35:240-244.
- El-Kassaby, Y.A., and Ritland, K. 1996. Impact of selection and breeding on the genetic diversity in Douglas-fir. *Biodivers. Conserv.* 5:795-813.
- El-Kassaby, Y.A., Yeh, F.C., and Sziklai, O. 1981. Estimation of the outcrossing rate of Douglas-fir [*Pseudotsuga menziesii* (Mirb.) Franco] using allozyme polymorphisms. *Silvae Genet.* 30:182-184.
- El-Kassaby, Y.A., Fashler, A.M.K., and Crown, M. 1989. Variation in fruitfulness in a Douglas-fir seed orchard and its effect on crop-management decisions. *Silvae Genet.* 38:113-121.
- El-Lakany, M.H., and Sziklai, O. 1971. Intraspecific variation in nuclear characteristics of Douglas-fir. *Adv. Front. Plant Sci.* 28:363-378.
- El-Lakany, M.H., and Sziklai, O. 1973. Further investigations on intraspecific variation in DNA content of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco). *Egypt. J. Cyto1.* 2:345-354.
- Farnum, P., Timmis, R., and Kulp, J.L. 1983. Biotechnology of forest yield. *Science* 219:694-702.
- Fashler, A.M.K., and El-Kassaby, Y.A. 1987. The effect of water spray cooling treatment on reproductive phenology in a Douglas-fir seed orchard. *Silvae Genet.* 36:245-249.
- Ferre, Y. de. 1955. Les *Pseudotsuga* del l'Arboretum de Joueu et leur resistance au Phaeocryptus. *Trav. Lab. for. Toulouse* 6:Part 1 [Forestry-Abstracts 1956 017-02982].
- Ferrell, W.K., and Woodard, E.S. 1966. Effects of seed origin on drought resistance of Douglas-fir (*Pseudotsuga menziesii*) (Mirb.) Franco. *Ecology* 47:499-503.
- Fielder, P., and Owens, J.N. 1989. A comparative study of shoot and root development of interior and coastal Douglas-fir seedlings. *Can. J. For. Res.* 19:539-549.
- Fins, L. 1983. Douglas-fir tree improvement plan. Inland Empire Tree Improvement Cooperative, University Idaho, Moscow.
- Fletcher, A.M. 2002. Introduction of western North American species to Europe and the IUFRO seed collections. In Philippe, G., and Bergevin, G. (eds.), *Pacific temperate conifers as native and introduced species: Genetics and sexual reproduction*, Proc. IUFRO Working Parties S2.02.5 and S2.01.16, Orleans, France, 27-30 May 2002, Cemagref.
- Flous, F. 1935. Revision of the genus *Pseudotsuga*. (In French). *Trav. du Lab. For. de Toulouse*, Tome 2, V 01. 4, Artic. 2.
- Fryer, J.H., and Ledig, F.T. 1972. Microevolution of the photosynthetic temperature optimum in relation to the elevational complex gradient. *Can. J. Bot.* 50:1231-1235.
- Fu, Y.B., Yanchuk, A.D., and Namkoong, G. 1999. Spatial patterns of tree height variations in a Douglas-fir progeny trial: implications for genetic testing. *Can. J. For. Res.* 29:714-723.
- Gamble, W.E., Adams, W.T., and Tappeiner, J. II. 1996. Survival and growth of Douglas-fir seed sources in the Hospital Tract rangewide source archive plantation. *Forest Research Laboratory Res. Contrib.* 12, Oregon State University, Corvallis.
- Garman, E.H. 1951. Seed production by conifers in the coastal region of British Columbia related to dissemination and regeneration. *B.C. For. Serv., Tech. Publ. T35*, Victoria. 47 p.

- Gernandt, D.S., and Liston, A. 1999. Internal transcribed spacer region evolution in *Larix* and *Pseudotsuga* (Pinaceae). Am. J. Bot. 86:711-723.
- Goldfarb, B., Howe, G.T., Bailey, L.M., Strauss, S.H., and Zaerr, J.B. 1991. A liquid cytokinin pulse induces adventitious shoot formation from Douglas-fir cotyledons. Plant Cell Rep. 10:156-160.
- Goldfarb, B., Strauss, S.H., Howe, G.T., and J.B. Zaerr. 1991. Transient gene expression of microprojectile-introduced DNA in Douglas-fir cotyledons. Plant Cell Rep. 10:517-521.
- Griffin A.R., and Ching, K.K. 1977. Geographic variation in Douglas-fir from the coastal ranges of California. I. Seed, seedling growth and hardiness characteristics. Silvae Genet. 26:149-157.
- Griffin, A.R. 1974. Geographic variation in juvenile growth characteristics of Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco) from the coastal ranges of California. Ph.D. Diss., Oregon State University, Corvallis. 153 p.
- Griffin, A.R. 1978. Geographic variation in Douglas-fir from the coastal ranges of California. II. Predictive value of a regression model for seedling growth variation. Silvae Genet. 27:96-101.
- Griffin, J.R. 1964. A new Douglas-fir locality in southern California. For. Sci. 10:317-319.
- Griffith, B.G. 1940. Effect of indolebutyric acid, indoleacetic acid, and alpha naphthaleneacetic acid on rooting of cuttings of Douglas-fir and Sitka spruce. J. For. 38:496-501.
- Griffith, B.G. 1968. Phenology, growth, and flower and cone production of 154 Douglas-fir trees on the University Research Forest as influenced by climate and fertilizer, 1957-1967. University B.C., Fac. For. Bull. No.6, Vancouver. 70 p.
- Gupta, P.K., Timmis, R., and Carlson, W. 2003. Somatic embryo development in liquid medium for large-scale propagation of conifer trees. In Proc. Congress on In Vitro Biology, Portland, OR, 31 May-4 June 2003. In Vitro Cell. Dev. Biol. - Plant 39:P-28.
- Haddock P.G., Walters, J., and Kozak, A. 1967. Growth of coastal and interior provenances of Douglas fir (*Pseudotsuga menziesii* (Mirb.) Franco) at Vancouver and Haney in British Columbia. University of British Columbia Faculty of Forestry Research Paper No. 79. Vancouver. 32 p.
- Hadley, M.J., Tanz, J.S., and Fraser, J. 2001. Biotechnology: potential applications in tree improvement. Forest Genetics Council of British Columbia Extension Note 2.
- Hagenstein, W.D. 1986. Douglas-fir forestry from Allen to Mendel. In Oliver, C. D., Hanley, D. P., and Johnson, J.A. (eds.), Douglas-fir: stand management for the future. College of Forest Resources, University Washington, Seattle. pp. 32-38.
- Hamrick, J.L., and Libby, W.J. 1972. Variation and selection in western U.S. montane species. Silvae Genet. 21:29-34.
- Hancock, W.V., and Swan, E.P. 1965. The petroleum ether soluble extractives of British Columbia coastal and interior-type Douglas-fir. Phytochemistry 4:791-798.
- Heaman, J.C. 1977. Choosing strategies for a breeding program in Douglas fir (*Pseudotsuga menziesii* (Mirb.) Franco) for coastal British Columbia - A case study. In Brown, A. G., and Palmberg, C. M. (eds.), Proc. FAO/IUFRO Third World Consultation Forest Tree Breeding, Vol. 2, Canberra, Australia, 21-26 March 1977, CSIRO, Canberra, Australia. pp. 1205-1214.
- Heiner, T.D., and Lavender, D.P. 1972. Early growth and drought avoidance in Douglas-fir seedlings. Forest Research Laboratory Res. Pap.14, Oregon State University, Corvallis. 7 p.
- Héois, B. (coordinator). 2000. EUDIREC: Towards a sustainable productive Douglas-fir forest of high quality raw material in Europe. Final report: European Union Project FAIR-CT95-0909.
- Heois, B. 1994. Variabilité juvénile chez *Pseudotsuga menziesii* (Mirb.) Franco — contribution à la mise au point de tests précoce. Ph.D. thesis, Institut National de la Recherche Agronomique, Paris. Grignon, France.
- Héois, B., Guibert, M., Philippe, G., Schermann, N., and Bastien, J.-C. 1995. Les vergers à graines de Douglas français: Une composante majeure du programme d'amélioration vers une organisation européenne coopérative. In Evolution of breeding strategies for conifers from the Pacific Northwest, Proc. IUFRO Working Parties S2.02.05, 06, 12 and 14, Limoges, France, Aug. 1-4 1995.
- Hermann R.K., Lavender, D.P. 1968. Early growth of Douglas-fir from various altitudes and aspects in southern Oregon. Silva Genet. 17:143-151.

- Hermann R.K., Lavender, D.P. 1990. *Pseudotsuga menziesii* (Mirb.) Franco Douglas-fir. In Burns, R.M., and Honkala, B.H. (eds.), Silvics of North America. Volume 1. Conifers. Agriculture Handbook 654. Washington, DC: U.S. Department of Agriculture, Forest Service. pp.527-540.
- Hermann, R.K. 1982. The genus *Pseudotsuga*: historical records and nomenclature. Forest Research Laboratory, Special publication 2a, Oregon State University, Corvallis.
- Hermann, R.K., and Ching, K.K. 1975. Bibliography of Douglas-fir provenances studies 1907-1974. Oregon State University For. Res. Pap. 25. 30 p.
- Hermann, R.K., and Lavender, D.P. 1968. Early growth of Douglas-fir from various altitudes and aspects in southern Oregon. *Silvae Genet.* 17:143-151.
- Hermann, R.K., and Lavender, D.P. 1999. Douglas-fir planted forests. *New Forests* 17:53-70.
- Hernandez, G.T., Alonso, G.V., Arribas, G.P., and Jenkinson, J.L. 1993. Screening Douglas-fir for rapid growth in common-garden tests in Spain. USDA For. Serv. Gen. Tech. Rep. PSW-GTR-146, Albany, CA.
- Ho, R.H., and Sziklai, O. 1972. Germination of Douglas-fir pollen. *Silvae Genet.* 21:48-50.
- Hodge, G.R., and White, T.L. 1993. Advanced generation wind-pollinated seed orchard design. *New Forests* 7:213-236.
- Hoff, R.J. 1987. Susceptibility of inland Douglas-fir to *Rhabdoctine* needle cast. USDA For. Serv. Res. Note INT-375, Ogden, UT.
- Howe G.T., Aitken S.N., Neale D.B., Jermstad K.D., Wheeler N.C., Chen T.H.H. 2003. From genotype to phenotype: unraveling the complexities of cold adaptation in forest trees. *Can. J. Bot.* 81:1247-1266.
- Howe, G.T., and Jayawickrama, K.J. 2002. Genetics of stem quality in coastal Douglas-fir. In Jayawickrama, K. J., and Bracher, G. (eds.), Proc. Genetic Improvement of Wood Quality in Coastal Douglas-fir and Western Hemlock. Corvallis, OR, 27 June 2002. Oregon State University, Corvallis (http://www.fsl.orst.edu/pnwtirc/publicatons/pnwtirc_pubs_date.htm). pp. 67-71.
- Hsin, L.Y., and Daniels, J.D. 1977. Pollen forcing-acceleration of pollen cone development of Douglas-fir. (Abstr.) Proc. West. For. Genet. Assoc. Colo. State University. p.9.
- Illingworth, K. 1978. Douglas-fir provenance trials in coastal British Columbia: results to six years after planting. In Proc. IUFRO joint meeting of Working Parties. Vancouver, B.C., 21 Aug.-9 Sept. 1978. pp. 411-425.
- Irgens-Moller, H. 1957. Ecotypic response to temperatures and photoperiod in Douglas-fir. *For. Sci.* 3:79-83.
- Irgens-Moller, H. 1958. Genotypic variation in time of cessation of height growth in Douglas-fir. *For. Sci.* 4:325-330.
- Irgens-Moller, H. 1962. Genotypic variation in photoperiodic response of Douglas-fir seedlings. *For. Sci.* 8:360-362.
- Irgens-Moller, H. 1967. Patterns of height growth initiation and cessation in Douglas-fir. *Silvae Genet.* 16:56-58.
- Irgens-Moller, H. 1967. Geographical variation in growth patterns of Douglas-fir. *Silvae Genet.* 17:106-110.
- Irgens-Moller, H. 1967. Patterns of height growth initiation and cessation in Douglas-fir. *Silvae Genet.* 16:56-58.
- Isaac, L. A. 1930. Seed flight in the Douglas-fir region. *J. For.* 28:492-499.
- Isaac, L.A. 1943. Reproductive habits of Douglas-fir. Charles Lathrop Pack For. Found., Washington, D.C. 107 p.
- Isaac, L.A. 1955. Tentative guides for the selection of plustrees and superior stands in Douglas-fir. USDA For. Serv. Pac. Northwest For. and Range Exp. Stn. Res. Note 112, Portland, OR. 9 p.
- Isaac, L.A., and Dimock, E.J. II. 1965. Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) var. *menziesii*. In Silvics of forest trees of the United States. U.S. Dep. Agric., Agric. Handb. 271, pp. 547-553.
- Jahn, G. 1955. Comparison of German and American Douglas-fir provenance trials. (In German.) Allgemeine Forst-und Jagdzeitung 126:68-76.

- Jaquish, B.C. 1990. Geographic variation in ten-year height growth of interior Douglas-fir in British Columbia. In Proc. Joint Meeting Western Forest Genetics Assoc. and IUFRO Working Parties S2.02-05, 06, 12, and 14 Douglas-fir, contorta pine, Sitka spruce, and *Abies* breeding and genetic resources, Olympia, WA, 20-24 Aug. 1990, Weyerhaeuser Co., Federal Way, WA. pp. 2.144-2.155.
- Jermstad, K.D., Reem, A.M., Henifin, J.R., Wheeler, N.C., and Neale, D.B. 1994. Inheritance of restriction fragment length polymorphisms and random amplified polymorphic DNAs in coastal Douglas-fir. *Theor. Appl. Genet.* 89:758-766.
- Jermstad, K.D., Bassoni, D.L., Jech, K.S., Wheeler, N.C., and Neale, D.B. 2001. Mapping of quantitative trait loci controlling adaptive traits in coastal Douglas-fir. I. Timing of vegetative bud flush. *Theor. Appl. Genet.* 102:1142-1151.
- Jermstad, K.D., Bassoni, D.L., Wheeler, N.C., Anekonda, T.S. Aitken, S.N., Adams, W.T., and Neale, D.B. 2001. Mapping of quantitative trait loci controlling adaptive traits in coastal Douglas-fir. II. Spring and fall cold-hardiness. *Theor. Appl. Genet.* 102:1152-1158.
- Jermstad, K.D., Bassoni, D.L., Jech, K.S., Ritchie, G.A., Wheeler, N.C., and Neale, D.B. 2003. Mapping of quantitative trait loci controlling adaptive traits in coastal Douglas-fir. III. Quantitative trait loci-by-environment interactions. *Genetics* 165:1489-1506.
- Jermstad, K.D., Bassoni, D.L., Wheeler, N.C., and Neale, D.B. 1998. A sex-averaged genetic linkage map in coastal Douglas-fir (*Pseudotsuga menziesii* [Mirb] Franco var. *menziesii*) based on RFLP and RAPD markers. *Theor. Appl. Genet.* 97:762-770.
- Johnson, G.R. 1997. Site-to-site genetic correlations and their implications on breeding zone size and optimum number of progeny test sites for coastal Douglas-fir. *Silvae Genet.* 46:280-285.
- Johnson, G.R. 1998. Breeding design considerations for coastal Douglas-fir. USDA For. Serv. Gen. Tech. Rep. PNW-GTR-411, Portland, OR.
- Johnson, G.R. 1998. Parental GCA testing: how many crosses per parent? *Can. J. For. Res.* 28:540-545.
- Johnson, G.R. 2002. Genetic variation in tolerance of Douglas-fir to Swiss needle cast as assessed by symptom expression. *Silvae Genet.* 51:80-86.
- Johnson, G.R., and Lipow, S. 2002. Compatibility of breeding for increased wood production and long-term sustainability: the genetic variation of seed orchard seed and associated risks. In Congruent management of multiple resources, Proc. Wood Compatibility Initiative Workshop, number 18. USDA For. Serv. PNW-GTR-563, Portland, OR. pp. 169-179.
- Johnson, G.R., Temel, F., and Jayawickrama, K. 2002. Genetic studies involving Swiss needle cast. In G. Filip (ed.), Swiss Needle Cast Cooperative Annual Report, 2002. Forest Research Laboratory, College of Forestry, Oregon State University, Corvallis. pp. 38-43.
- Johnson, G.R., St.Clair, J.B., and Lipow, S. 2001. Genetic conservation in applied tree breeding programs. In Thielges, B.A., Sastrapradja, S., and Rimbawanto, A. (eds.), Proc. Intl. Conf. on Ex Situ and In Situ Conservation of Commercial Tropical Trees, Yogyakarta, Indonesia, 11-13 June 2001, International Tropical Timber Organization (ITTO), Yokohama, Japan. pp. 215-230.
- Johnson, G.R., Wheeler, N.C., and Strauss, S.H. 2000. Economic feasibility of marker-aided selection in Douglas-fir. *Can. J. For. Res.* 30:1942-1952.
- Johnson, G.R., Snieszko, R.A., and Mandel, N.L. 1997. Age trends in Douglas-fir genetic parameters and implications for optimum selection age. *Silvae Genet.* 46:349-358.
- Joly, R.J., Adams, W.T., and Stafford, S.G. 1989. Phenological and morphological responses of mesic and dry site sources of coastal Douglas-fir to water deficit. *For. Sci.* 35:987-1005.
- Karlsson, I. 1977. Supplemental pollination in Douglas-fir. (Abstr.) Proc. West. For. Genet. Assoc. Colo. State University. p. 8.
- Kaya, Z., Adams, W.T., and Campbell, R.K. 1994. Adaptive significance of intermittent shoot growth in Douglas-fir seedlings. *Tree Physiol.* 14:1277-1289.
- King, J.N., Yeh, F.C., and Heaman, J.C.H. 1988. Selection of growth and yield traits in controlled crosses of coastal Douglas fir. *Silvae Genet.* 37:158-164.
- King, J.N., Yeh, F.C., Heaman, J.C.H., and Dancik, B.P. 1988. Selection of wood density and diameter in controlled crosses of coastal Douglas-fir. *Silvae Genet.* 37:152-157.

- King, J.N., Yeh, F.C., Heaman, J.C., and Dancik, B.P. 1992. Selection of crown form traits in controlled crosses of coastal Douglas-fir. *Silvae Genet.* 41:362-370.
- Kleinschmit, von J., Racz, J., Weisgerber, H., Dietze, W., Dieterich, H., and Dimpfmeier, R. 1974. Ergebnisse aus dem internationalen Douglasiens-Her Kunftsversuch von 1970 in der Bundes republik Deutschland. (In German). *Silvae Genet.* 23:167-176.
- Kozak, A., Sziklai, O., Griffith, B.G., and Smith, J.H.G. 1963. Variation in cone and seed yield from young, open-grown Douglas-fir on the U. B. C. Research Forest. University B.C. Fac. For. Res. Pap. 57. 7 p.
- Krausel, R. 1926. Fossile Coniferenhoelzer In Engler-Prantl.Die Natuerlichen Pflanzenfamilien. 2d ed. Vol. 13. Wilhelm Engelmann, Leipzig. 447 p.
- Kriek, W. 1974. Douglas-fir IUFRO provenances in the Netherlands, 1966/1967 series. Ned. Bosbouwproefstn. *Tijdschr.* 46:1-14.
- Krueger, K.W. 1960. The influence of time of establishment and competition on the comparative heights of second growth Douglas-fir trees. M.S. thesis. Oregon State Coll., Corvallis. 45 p.
- Krueger, K.W., and Ferrell, W.K.. 1965. Comparative photosynthetic and respiratory responses to temperature and light by *Pseudotsuga menziesii* var. *menziesii* and var. *Glauca* seedlings. *Ecology* 46:794-801.
- Krutovskii, K.V., Jermstad, K.D., Wheeler, N.C., Howe, G.T., St.Clair, J.B., and Neale, D.B. 2004. Gene discovery for adaptive traits and candidate gene variation in Douglas-fir. Abstract P622. In Plant and Animal Genomes XII Conference, San Diego, CA, 10-14 January 2004. http://www.intl-pag.org/12/abstracts/P5i_PAG12_622.html.
- Krutovskii, K.V., Vollmer, S.S., Sorensen, F.C., Adams, W.T., Knapp, S.J., and Strauss, S.H. 1998. RAPD genome maps of Douglas-fir. *J. Hered.* 89:197-205.
- Krutovsky, K.V., Troggio, M., Brown, G.R., Jermstad, K.D., and Neale, D.B. 2004. Comparative mapping in the Pinaceae. *Genetics* 168:447-461.
- Kung, F.H., and Wright, J.W. 1972. Parallel and divergent evolution in Rocky Mountain trees. *Silvae Genet.* 21:77-85.
- Lambeth, C.C., Stonecypher, R.W., and Zobel, B.J. 1982. Early testing of Douglas-fir in phytotron environments - The effect of selection trait and genotype-environment interaction. In Thielges, B.A. (ed.), Proc. 7th North Am. For. Biol. Workshop, University Kentucky, Lexington. pp. 137-148.
- Larsen, J.B. 1981. Geographic variation in winter drought resistance of Douglas-fir (*Pseudotsuga menziesii* Mirb. Franco). *Silvae Genet.* 30:109-114.
- Lavender, D.P., Sweet, G.B., Zaerr, J.B., and Hermann, R.K. 1973. Spring shoot growth in Douglas-fir may be initiated by gibberellins exported from roots. *Science* 182:838-839.
- Lavender, D.P., and Overton, W.S. 1972. Thermoperiods and soil temperatures as they affect growth and dormancy of Douglas-fir seedlings of different geographic origins. Forest Research Laboratory Res. Pap. No. 13, Oregon State University, Corvallis. 26 p.
- Lavender, D.P., Ching, K.K., and Hermann, R.K. 1968. Effect of environment on the development of dormancy and growth of Douglas-fir seedlings. *Bot. Gaz.* 129:70-83.
- Lester, D.T. 1986. Genetic considerations for Douglas-fir. In Oliver, C.D., Hanley, D.P., and Johnson, J.A. (eds.), Douglas-fir: stand management for the future. College of Forest Resources, University Washington, Seattle. p. 151-154.
- Li, P., and Adams, W.T. 1989. Range-wide patterns of allozyme variation in Douglas-fir (*Pseudotsuga menziesii*). *Can. J. For. Res.* 19:149-161.
- Li, P., and Adams, W.T. 1993. Genetic control of bud phenology in pole-size trees and seedlings of coastal Douglas-fir. *Can. J. For. Res.* 23:1043-1051.
- Li, P., and Adams, W.T. 1994. Genetic variation in cambial phenology of coastal Douglas-fir. *Can. J. For. Res.* 24:1864-1870.
- Liese, J. 1936. Douglas-fir races and their susceptibility to Douglas-fir needle cast (In German). *Mitt. der Dtsch. Dendro. Geselischatt* 48:259-264.

- Lipow, S.R., Johnson, G.R., St.Clair, J.B., and Jayawickrama, K.J. 2003. The role of tree improvement programs for ex situ gene conservation of coastal Douglas-fir in the Pacific Northwest. *For. Gen.* 10:111-120.
- Lipow, S.R., Vance-Borland, K., St.Clair, J.B., Henderson, J., and McCain, C. 2004. Gap analysis of conserved genetic resources for forest trees. *Conserv. Biol.* 18:412-423.
- Little, E.L., Jr. 1952. The genus *Pseudotsuga* (Douglas-fir) in North America. *Leaf. West. Bot.* 6:181-198.
- Little, E.L., Jr. 1971. Atlas of United States trees, Volume 1. Conifers and important hardwoods. U.S. Dep. Agric. For. Servo Misc. Publ. 1146, 200 p. (maps).
- Livingston, G.K. 1971. The morphology and behavior of meiotic chromosomes of Douglas-fir. *Silvae Genet.* 20:75-82.
- Livingston, G.K., and Ching, K.K. 1967. Longevity and fertility of freeze-dried Douglas-fir pollen. *Silvae Genet.* 16:98-101.
- Loopstra, C.A., and Adams, W.T. 1989. Patterns of variation in first-year seedling traits within and among Douglas-fir breeding zones in southwest Oregon. *Silvae Genet.* 38:235-243.
- Lowry, W.P. 1966. Apparent meteorological requirements for abundant cone crops in Douglas-fir. *For. Sci.* 12:185-192.
- Lundberg, J. 1957. Provenance tests with Douglas-fir. *Det Forst. Forsogsveas. Danmark* 23:344-370.
- Magnussen, S., and Yanchuk, A.D. 1994. Time trends of predicted breeding values in selected crosses of coastal Douglas-fir in British Columbia: a methodological study. *For. Sci.* 40:663-685.
- Marshall, K.A., and Neale, D.B. 1992. Inheritance of mitochondrial DNA in Douglas-fir. *Can. J. For. Res.* 22:73-75.
- Martinez, M. 1963. Las Pinaceas Mexicana. University Nac. Auton. de Mex., Ciudad University Mex., 20 D.F., pp. 24-47.
- McArdle, R.E., Meyer, W.H., and Bruce, D. 1961. The yield of Douglas-fir in the Pacific Northwest. U.S. Dep. Agric. Tech. Bun. 201. 74 p.
- McDonald, G.I. 1979. Resistance of Douglas-fir to western spruce budworm: results of a preliminary progeny test. USDA For. Serv. Res. Note INT-264, Ogden, UT.
- McKimmy, M.D. 1966. A variation and heritability study of wood specific gravity in 46-year-old Douglas-fir from known seed sources. *TAPPI* 49:542-549.
- Merkle, S.A., and Adams, W.T. 1987. Patterns of allozyme variation within and among Douglas-fir breeding zones in southwest Oregon. *Can. J. For. Res.* 17:402-407.
- Meyer, H. 1954. Rhabdocline befall an Douglasien verschiedener Provenienz. *Forst u. Holzwirthsch.* 9:180-182.
- Miki, S. 1957. *Pinaceae of Japan*, with special reference to its remains. Osaka University Inst. Poly tech. J. Ser. C. (BioI.) 8:221-272.
- Mitchell, R.G., and Nagel, W.P. 1969. Tree selection for controlling midges on Douglas-fir. Am. Christmas Tree J. 13:1113.
- Monserud, R.A., and Rehfeldt, G.E. 1990. Genetic and environmental components of variation of site index in inland Douglas-fir. *For. Sci.* 36:1-9.
- Morgenstern, E.K. 1996. Geographic variation in forest trees: genetic basis and application of knowledge in silviculture. UBC Press, University of British Columbia, Vancouver, B.C.
- Morris, W.G., Silen, R.R., and Irgens-Moller, H. 1957. Consistency of bud bursting in Douglas-fir. *J. For.* 55:208-210.
- Muhs, H.-J. 1974. Distinction of Douglas-fir provenances using peroxidase-isoenzymes patterns of needles. *Silvae Genet.* 23:71-76.
- Munger, T.T., and Morris, W.G. 1936. Growth of Douglas-fir trees of known seed source. U.S. Dept. Agric. Tech. Bul. 537. 40 p.
- Namkoong, G., Usanis, R.A., and Silen, R.R. 1972. Age-related variation in genetic control of height growth in Douglas-fir. *Theor. Appl. Genet.* 42:151-159.

- Neale, D.B., and Adams, W.T. 1985. The mating system in natural and shelterwood stands of Douglas-fir. *Theor. Appl. Genet.* 71:201-207.
- Neale, D.B., Wheeler, N.C., and Allard, R.W. 1986. Paternal inheritance of chloroplast DNA in Douglas-fir. *Can. J. For. Res.* 16:1152-1154.
- Nicholas, D.D. 1963. The influence of environment, genetics, and growth characteristics on tracheid length and specific gravity variation in a Douglas-fir provenance study. M.S. thesis. Oregon State University, Corvallis. 43 p.
- O'Brien, I.E.W., Smith, D.R., Gardner, R.C., and Murray, B.G. 1996. Flow cytometric determination of genome size in *Pinus*. *Plant Sci.* 115:91-99.
- O'Neill, G.A., Adams, W.T., and Aitken, S.N. 2001. Quantitative genetics of spring and fall cold hardiness in seedlings from two Oregon populations of coastal Douglas-fir. *For. Ecol. Manage.* 149:305-318.
- O'Neill, G.A., Aitken, S.N., and Adams, W.T. 2000. Genetic selection for cold hardiness in coastal Douglas-fir seedlings and saplings. *Can. J. For. Res.* 30:1799-1807.
- Olson, D.L., and Silen, R.R. 1975. Influence of date of cone collection on Douglas-fir seed processing and germination: a case history. USDA For. Serv Res. Pap. PNW190, Pac. Northwest For. and Range Exp. Stn., Portland, OR. 10 p.
- Orr-Ewing, A.L. 1957. Possible occurrence of viable unfertilized seed in Douglas-fir. *For. Sci.* 3:243-248.
- Orr-Ewing, A.L. 1954. Inbreeding experiment with the Douglas-fir. *For. Chron.* 30:7-16.
- Orr-Ewing, A.L. 1956. Controlled pollination techniques for the Douglas-fir. *For. Sci.* 2:251-257.
- Orr-Ewing, A.L. 1957. A cytological study of the effects of self-pollination on *Pseudotsuga menziesii* (Mirb.) Franco. *Silvae Genet.* 6:179-185.
- Orr-Ewing, A.L. 1967. A progeny test of Douglas-fir to demonstrate the importance of selection in forest practice. B.C. For. Serv Res. Note 43. 23 p.
- Orr-Ewing, A.L. 1974. The incidence of dwarfing in inbred Douglas-fir. B.C. For. Serv Res. Note 64. 26 p.
- Orr-Ewing, A.L., Fraser, A.R., and Karlsson, I. 1972. Interracial crosses with Douglas-fir: early field results. B.C. For. Serv. Res. Note 55. 33p.
- Orr-Ewing, A.L., and Prideaux, D.C. 1959. Grafting methods for the Douglas-fir. *For. Chron.* 35:192-202.
- Otto, von H., and Kleinschmit, J. 1975. Das Douglasien ziichtungsprogram in der Niedersiichsischen Forstlichen Versuchanstalt -Abt. Forstpflanzenziichtung-in Escherode. *Forstarchiv* 46:113-120.
- Owens, J.N. 1967. Chromosome aberrations in Douglas-fir. *Can. J. Bot.* 45:1910-1913.
- Owens, J.N. 1969. The relative importance of initiation and early development on cone production in Douglas-fir. *Can. J. Bot.* 47:1039-1049.
- Owens, J.N. 1973. The reproductive cycle of Douglas-fir. Pac. For. Res. Cent., Can. For. Serv., Victoria, B.C. 23 p.
- Owens, J.N., and Smith, F.H. 1964. The initiation and early development of the seed cone of Douglas-fir. *Can. J. Bot.* 42:1031-1047.
- Peoples Republic of China. 1972. *Iconographia Cormophytorum Sinicorum Tomais I.* Acad. Sci., Bot. Res. Inst., p. 293.
- Pharis, R.P. 1976. Manipulation of flowering in conifers through the use of plant hormones. In *Modern methods of forest genetics*. Miksche, J.P. (ed.), Springer-Verlag, Berlin. pp. 265-282.
- Pharis, R.P. 1974. Precocious flowering in conifers: the role of plant hormones. Yale University Sch. For. Environ. Stud., Bull. No. 85. pp. 51-80.
- Pharis, R.P., and Ferrell, W.K.. 1966. Differences in drought resistance between coastal and inland sources of Douglas-fir. *Can. J. Bot.* 44:1651-1659.
- Philippe, G., Lee, S.J., Schüte, G. and Héois, B. 2004. Flower stimulation is cost-effective in Douglas-fir seed orchards. *Forestry* 77:279-286.
- Piesch, R., and Stettler, R.F. 1971. The detection of good selfers for haploid introduction in Douglas-fir. *Silvae Genet.* 20:144-148.

- Piesch, R.F., and Phelps, V.H. 1971. Certification of source-identified British Columbia tree seed under the O.E.C.D. scheme. Inf. Rep. BC-X-60, For. Res. Lab., Can. For. Serv., Victoria, B.C.
- Prudham, W.S. 2003. Taming trees: capital, science, and nature in Pacific Slope tree improvement. Ann. Assoc. Am. Geograph. 93:636-656.
- Puritch, G.S. 1972. Cone production in conifers. Pac. For. Res. Cent., Can. For. Serv. Inf. Rep. BC-X-65. 94 p.
- Radwan, M.A. 1969. Effects of essential oils from three Douglas-fir clones on cellulose digestibility by deer rumen in vitro. (Abstr.) Proc. Annu. Meet. West. For. Genet. Assoc. p. 3.
- Radwan, M.A. 1975. Genotype and season influence chlorogenic acid content in Douglas-fir foliage. Can. J. For. Res. 5:281-284.
- Radwan, M.A., and Ellis, W.D. 1975. Clonal variation in monoterpenes hydrocarbons of vapors of Douglas-fir foliage. For. Sci. 21:63-67.
- Randall, W.K. 1996. Forest tree seed zones for western Oregon. State of Oregon Dept. Forestry, Portland, OR. 82 p.
- Randall, W.K., and P. Berrang. 2002. Washington tree seed transfer zones. Washington Dept. Natural Resources, Olympia.
- Reck, S., and Sziklai, O. 1973. Juvenile-mature correlations in wood characteristics of Douglas-fir (*Pseudotsuga menziesii*). Int. Union For. Res. Organ. Work. Party on Provenances of Douglas-fir. Göttingen, Voluntary Pap. 9 p.
- Rediske, J.H., Gauditz, I. and Campbell, R.K. 1968. Family response to levels of fertilizer. (Abstr.) Proc. West. For. Genet. Assoc., Corvallis, OR.
- Rediske, J. 1977. Weyerhaeuser Company report. IFA Tree Improv. Newslet. No. 31, Olympia, WA. p. 7.
- Rehfeldt, G.E. 1974. Genetic variation of Douglas-fir in the northern Rocky Mountains. USDA For. Serv. Res. Note INT-184, Intermt. For. and Range Exp. Stn., Ogden, Utah. 6 p.
- Rehfeldt, G.E. 1974. Local differentiation of populations of Rocky Mountain Douglas-fir. Can. J. For. Res. 4:399-406.
- Rehfeldt, G.E. 1977. Growth and cold hardiness of intervarietal hybrids of Douglas-fir. Theor. Appl. Genet. 50:3-15.
- Rehfeldt, G.E. 1978. Genetic differentiation of Douglas-fir populations from the northern Rocky Mountains. Ecology 59:1264-1270.
- Rehfeldt, G.E. 1979. Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *glauca*) populations. I. North Idaho and north-east Washington. Heredity 43:383-397.
- Rehfeldt, G.E. 1979. Variation in cold hardiness among populations of *Pseudotsuga menziesii* var. *glauca*. Research Paper INT-233. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, 11 p.
- Rehfeldt, G.E. 1979. Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *glauca*) populations. I. North Idaho and northeast Washington. Heredity 43:383-397.
- Rehfeldt, G.E. 1979. Variation in cold hardiness among populations of *Pseudotsuga menziesii* var. *glauca*. USDA For. Serv. Intermt. For. Range Exp. Stn. Res. Pap. INT-233.
- Rehfeldt, G.E. 1982. Ecological adaptations in Douglas-fir populations. II. Western Montana. USDA For. Serv Res. Pap. INT-295, Ogden, UT. 8 p.
- Rehfeldt, G.E. 1983. Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *glauca*) populations. III. Central Idaho. Can. J. For. Res. 13:626-632.
- Rehfeldt, G.E. 1983. Genetic variability within Douglas-fir populations: implications for tree improvement. Silvae Genet. 32:9-14.
- Rehfeldt, G.E. 1986. Development and verification of models of freezing tolerance for Douglas-fir populations in the Inland Northwest. Res. Pap. INT-369. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station, 5 p.
- Rehfeldt, G.E. 1989. Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *glauca*): a synthesis. For. Ecol. Managem. 28:203-215.

- Rehfeldt, G.E. 1990. Adaptability versus zone size: continuous zones for the Rocky Mountains (USA). In Proc. Joint Meeting Western Forest Genetics Assoc. and IUFRO Working Parties S2.02-05, 06, 12, and 14 Douglas-fir, contorta pine, Sitka spruce, and *Abies* breeding and genetic resources, Olympia, WA, 20-24 Aug. 1990, Weyerhaeuser Co., Federal Way, WA. pp. 2.265-2.275.
- Rehfeldt, G.E. 1994. Evolutionary genetics, the biological species, and the ecology of the Interior cedar-hemlock forests. In Proceedings of Interior cedar-hemlock-white pine forests:ecology and management. Pullman, WA: Washington State University. pp 91-100.
- Riitters, K.H., and Perry, D.A. 1987. Early genetic evaluation of open-pollinated Douglas-fir families. For. Sci. 33:577-582.
- Ritchie, G.A. 1993. Production of Douglas-fir, *Pseudotsuga menziesii* (Mirb.) Franco rooted cuttings for reforestation by Weyerhaeuser Company. In Comb. Proc. Intl. Plant Prop. Soc. 43:68-72.
- Ritchie, G.A., and Keeley, J.W. 1994. Maturation in Douglas-fir: I. Changes in stem, branch, and foliage characteristics associated with ontogenetic aging. Tree Physiol. 14:1245-1259.
- Roberds, J.H., and Namkoong, G. 1989. Population selection to maximize value in an environmental gradient. Theor. Appl. Genet. 77:128-134.
- Roberts, A.N., and Fuchigami, L.H. 1973. Seasonal changes in auxin effect on rooting of Douglas-fir stem cuttings as related to bud activity. Plant Physiol. 28:215-221.
- Rohmeder, Von E. 1956. Prof. Munch's provenance trial with Douglas-firs of different origin and other coniferous species in the Kaiserslautern-Ost forest district covering the years 1912-1954 (in German). Silvae Genet. 5:142-156.
- Rook, D.A. and Sweet, G.B. 1971. Photosynthesis and photosynthate distribution in Douglas-fir strobili grafted to young seedlings. Can. J. Bot. 49:13-17.
- Ross, S.D. 1975. Production, propagation and shoot elongation of cuttings from sheared 1-year-old Douglas-fir seedlings. For. Sci. 21:298-300.
- Ross, S.D., and Pharis, R.P. 1976. Promotion of flowering in Pinaceae by gibberellins. I. Sexually mature, non-flowering grafts of Douglas-fir. Physiol. Plant. 36:182-186.
- Ross, S.D., Webber, J.E., Pharis, R.P., and Owens, J.N. 1985. Interaction between gibberellin A_{4/7} and root-pruning on the reproductive and vegetative process in Douglas-fir. I. Effects on flowering. Can. J. For. Res. 15:341-347.
- Rowe, K.E., and Ching, K.K. 1973. Provenance study of Douglas-fir in the Pacific Northwest. Silvae Genet. 22:115-119.
- Sax, K., and Sax, H.J. 1933. Chromosome number and morphology in the conifers. J. Arnold Arbor. 14:256-274.
- Schönbach, H., and Bellmann, E. 1967. Frostresistanz del' N achkommenschaften von Kreuzungen gruner u blauer formen del' Douglai'sie (*Pseudotsuga menziesii* (Mil' b.) Franco). Arch. Forstives 16:707-711.
- Schermann, N., Adams, W.T., Aitken, S.N., and Bastien, J.-C. 1997. Genetic parameters of stem form traits in a 9-year-old coastal Douglas-fir progeny test in Washington. Silvae Genet. 46:166-170.
- Schmidling, R.C. 2001. Southern pine seed sources. General Technical Report SRS-44. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 25 p.
- Schober, R. 1959. Results of Douglas-fir provenance tests in Germany, Holland, and Denmark. Allg. Forstz. 14:145-152.
- Schober, R. 1963. Experiences with the Douglas-fir in Europe. World Consult. For. Genet. and Tree Improv., Stockholm, FAO/FORGEN 63-4/5. 18 p.
- Silen, R. 1985. More correlations of parent vs. offspring, Snow Peak and Umpqua Coast cooperatives. Tree Improvement News. 49:11-12. (Newsletter of the industrial Forestry Association Tree Improvement Laboratory).
- Silen, R.R. 1958. Artificial ripening of Douglas-fir cones. J. For. 56:410-413.
- Silen, R.R. 1962. A discussion of forest trees introduced into the Pacific Northwest. J. For. 60:407-408.
- Silen, R.R. 1962. Pollen dispersal considerations for Douglas-fir. J. For. 60:790-795.
- Silen, R.R. 1962. A study of genetic control of bud bursting in Douglas-fir. J. For. 60:472-475.

- Silen, R.R. 1963. Effect of altitude on factors of pollen contamination of Douglas-fir seed orchards. *J. For.* 61:281-283.
- Silen, R.R. 1965. Regeneration aspects of the 50-year-old Douglas-fir heredity study. *In Proc. 1964 Annual Meet. West. Refor. Coord. Comm., West. For. Conserve. Assoc., Spokane, WA.* pp. 35-39.
- Silen, R.R. 1966. A 50-year racial study of Douglas-fir in western Oregon and Washington (Abstr.) *In Proc. 1965 Annu. Meet. West. For. Genet. Assoc.,* pp. 6-7.
- Silen, R.R. 1966. A simple, progressive, tree improvement program for Douglas-fir. *USDA For. Serv. Res. Note PNW-45, Pac. Northwest For. and Range Exp. Stn., Portland, OR.* 13 p.
- Silen, R.R. 1967. Earlier forecasting of Douglas-fir cone crop using male buds. *J. For.* 65:888-892.
- Silen, R.R. 1967. Genetic junk (Abstr.) *Proc. West. For. Genet. Assoc.* p. 5.
- Silen, R.R. 1967. How early can Douglas-fir cone crops be predicted? *Proc. 1967 West. Refor. Coord. Comm., West. For. and Conserv. Assoc.* p. 12-17.
- Silen, R.R. 1973a. First- and second-season effect on Douglas-fir flowering from single shade period. *Can. J. For. Res.* 3:528-534.
- Silen, R.R. 1973. July-stimulated flowering in Douglas-fir. *For. Sci.* 19:288-290.
- Silen, R.R. 1978. Genetics of Douglas-fir. *USDA For. Serv. Res. Pap. WO-35.*
- Silen, R.R., and Copes, D.L. 1972. Douglas-fir seed orchard problems - a progress report. *J. For.* 70:145-147.
- Silen, R.R., and Doig, I. 1976. The care and handling of the forest gene pool. *Pac. Search* 10:7-9.
- Silen, R.R., and Kean, G. 1969. Cooling a Douglas-fir seed orchard to avoid pollen contamination. *USDA For. Serv. Res. Note PNW-101, Portland, OR.* 10 p.
- Silen, R.R., and Wheat, J.G. 1979. Progressive tree improvement program in Coastal Douglas-fir. *J. For.* 77:78-83.
- Silen, R.R., and Wanek, J. 1986. The J.E. Schroeder forest tree seed orchard in Oregon. *J. For.* 84:31-37.
- Silen, R.R., and Rowe, K.E. 1971. Inheritance of stockiness in ponderosa pine families. *USDA For. Serv. Res. Note PNW 166, Pac. Northwest For. and Range Exp. Stn., Portland, OR.* 12 p.
- Silen, R.R., and Krueger, K.W. 1962. Does rainy weather influence seed set of Douglas-fir? *J. For.* 60:242-244.
- Silen, R.R., and Woike, L.R. 1959. The Wind River Arboretum, 1912-1956. *USDA For. Serv. Pac. Northwest For. and Range Exp. Stn. Res. Pap. 33, Portland, OR.* 50 p.
- Silen, R.R., and Mandel, N.L. 1983. Clinal genetic growth variation within two Douglas-fir breeding zones. *J. For.* 81:216-220.
- Silim, S.N., and Lavender, D.P. 1994. Seasonal patterns and environmental regulation of frost hardiness in shoots of seedlings of *Thuja plicata*, *Chamaecyparis nootkatensis*, and *Picea glauca*. *Can. J. Bot.* 72:309-316.
- Sinclair, T.R. 1998. Historical changes in harvest index and crop nitrogen accumulation. *Crop Sci.* 38:638-643.
- Slavov, G.T. 2004. Development and application of SSR markers for measuring gene flow in Douglas-fir. Ph.D. Dissertation, Oregon State University, Corvallis.
- Slavov, G.T., Howe, G.T., Yakovlev, I., Edwards, K.J., Krutovskii, K.V., Tuskan, G.A., Carlson, J.E., Strauss, S.H., and Adams, W.T. 2004. Highly variable SSR markers in Douglas-fir: mendelian inheritance and map locations. *Theor. Appl. Genet.* 108:873-880.
- Smith, D.B., and Adams, W.T. 1983. Measuring pollen contamination in clonal seed orchards with the aid of genetic markers. *In Proc. 17th Southern Forest Tree Improve. Conf., Athens, Georgia, 6-9 June 1983, University Georgia, Athens.* pp.69-77.
- Smith, W.B., Vissage, J.S., Darr, D.R., and Sheffield, R.M. 2001. Forest resources of the United States, 1997. *USDA For. Serv. Gen. Tech. Report NC-219, North Central Research Station, St. Paul, MN.*
- Snajberk, K., Lee, C.J., and Zavarin, E. 1974. Chemical composition of volatiles from cortical oleoresins of *P. menziesii*. *Phytochemistry* 13:185-188.
- Sorensen, F.C. 1966. Inheritance of cotyledon number in Douglas-fir. *For. Sci.* 12:175-176.

- Sorensen, F.C. 1967. Two-year results of a west-east transect-provenance test of Douglas-fir in Oregon. USDA For. Serv. Res. Note PNW-72, Portland, OR. 8 p.
- Sorensen, F.C. 1971. "White seedling": a pigment mutation that affects seed dormancy in Douglas-fir. J. Hered. 62:127-130.
- Sorensen, F.C. 1973. Frequency of seedlings from natural self fertilization in coastal Douglas-fir. Silvae Genet. 22:20-24.
- Sorensen, F.C. 1979. Provenance variation in *Pseudotsuga menziesii* seedlings from the var. *menziesii* - var. *glauca* transition zone in Oregon. Silvae Genet. 28:96-103.
- Sorensen, F.C. 1982. The roles of polyembryony and embryo viability in the genetic system of conifers. Evolution. 36:725-733.
- Sorensen, F.C. 1983. Geographic variation in seedling Douglas-fir (*Pseudotsuga menziesii*) from the western Siskiyou Mountains of Oregon. Ecology 64:696-702.
- Sorensen, F.C. 1997. Effects of sib mating and wind pollination on nursery seedling size, growth components, and phenology of Douglas-fir seed-orchard progenies. Can. J. For. Res. 27:557-566.
- Sorensen, F.C. 1999. Relationship between self-fertility, allocation of growth, and inbreeding depression in three coniferous species. Evolution 53:417-425.
- Sorensen, F.C., and Campbell, R.K. 1971. Correlation between dates of floral and vegetative bud flush in Douglas-fir. USDA For. Serv. Res. Note PNW-143, Pac. Northwest For. and Range Exp. Stn., Portland, OR. 4 p.
- Sorensen, F.C., and Miles, R.S. 1974. Self-pollination effects on Douglas-fir and ponderosa pine seeds and seedlings. Silvae Genet. 23:135-138.
- Sorensen, F.C., and Ferrell, W.K. 1973. Photosynthesis and growth of Douglas-fir seedlings in different environments. Can. J. Bot. 51:1689-1698.
- Sorensen, F.C., and Webber, J.E. 1997. On the relationship between pollen capture and seed set in conifers. Can. J. For. Res. 27:63-68.
- Sorensen, F.C., and White, T.L. 1988. Effect of natural inbreeding on variance structure in tests of wind-pollination Douglas-fir progenies. For. Sci. 34:102-118.
- Sorensen, F.C., Miles, R.S. 1982. Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine and noble fir to 10 years of age. Forest Science. 28:283-292.
- Sorensen, F.C. 1992. Genetic variation and seed transfer guidelines for lodgepole pine in central Oregon. Research Paper PNW-RP-453. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 30 p.
- Spicer, R., Gartner, B.L., and Darbyshire, R.L. 2000. Sinuous stem growth in a Douglas-fir (*Pseudotsuga menziesii*) plantation: growth patterns and wood-quality effects. Can. J. For. Res. 30:761-768.
- Spurr, S.H. 1961. Observations on Douglas-fir in New Zealand. N.Z. For. Serv., For. Res. Inst. Tech. Pap. 38. 16 p.
- St.Clair, J.B. 1994. Genetic variation in tree structure and its relation to size in Douglas-fir. I. Biomass partitioning, foliage efficiency, stem form, and wood density. Can. J. For. Res. 24:1226-1235.
- St.Clair, J.B., Mandel, N.L., and Vance-Borland, K.W. 2005. Genecology of Douglas-fir in western Oregon and Washington. Annals Bot. 96:1199-1214.
- St.Clair, J.B., Mandel, N.L., and Jayawickrama, K.J.S. 2004. Early realized genetic gains for coastal Douglas-fir in the northern Oregon Cascades. West. J. Appl. For. 19:195-201.
- Stein, W.I., and Owston, P.W. 2002. *Pseudotsuga* Carr. (Douglas-fir). In Bonner, F.T., and Nisley, R.G. (eds.), Woody plant seed manual. USDA For. Serv., Washington, DC. pp. 1-38. Available at <http://ntsl.fs.fed.us/wpsm/Pseudotsuga.pdf> (accessed 7/23/04).
- Steinbrenner, E.C., Duffield, J.W., and Campbell, R.K. 1960. Increased cone production of young Douglas-fir following nitrogen and phosphorus fertilization. J. For. 58:105-110.
- Stephan, B.R. 1973. Über anfälligkeit und resistenz von Douglasien-Herkünften gegenüber *Rhabdocline pseudotsugae* (Susceptibility and resistance of Douglas-fir provenances to *Rhabdocline pseudotsugae*). Silvae Genet. 22:149-153.

- Stephan, B.R. 1987. Differences in the resistance of Douglas-fir provenances to the wooly aphid *Gilletteella cooleyi*. *Silvae Genet.* 36:76-79.
- Stoate, T.N., Mahood, I., and Crossin, E.C. 1962. Cone production in Douglas-fir (*Pseudotsuga menziesii*). *Emp. For. Rev.* 40:106-110.
- Stoehr, M., and Bird, K. 2003. Coastal Douglas-fir. In Crown, B., and Painter, R. (eds.), *Forest Genetics Council of B.C. Tree Improvement Program Project Report 2002/2003*. B.C. Ministry Forests, Victoria. p. 7.
- Stoehr, M.U., Orvar, B.L., Vo, T.M., Gawley, J.R., Webber, J.E., and Newton, C.H. 1998. Application of a chloroplast DNA marker in seed orchard management evaluations of Douglas-fir. *Can. J. For. Res.* 28:187-195.
- Stoehr, M.U., Webber, J.E., Hollefreund, C.C., and Painter, R.A. 2004. Potential pollen contamination effects on progeny from an off-site Douglas-fir seed orchard: 9 year field results. *Can. J. For. Res.* 34:981-984.
- Stonecypher, R.W., Piesch ,R.F., Helland, G.G., Chapman, J.G., and Reno, H.J. 1996. Results from genetic tests of selected parents of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in an applied tree improvement program. *For. Sci.* 42, Monograph 32:1-35.
- Strauss, S.H., Doerksen, A.H., and Byrne, J.R. 1990. Evolutionary relationships of Douglas-fir and its relatives (genus *Pseudotsuga*) from DNA restriction fragment analysis. *Can. J. Bot.* 68:1502-1510.
- Sutton, B. 2002. Commercial delivery of genetic improvement to conifer plantations using somatic embryogenesis. *Ann. For. Sci.* 59:657-661.
- Sweet G.B. 1965. Provenance differences in Pacific Coast Douglas-fir. I. Seed and seedling characteristics. *Silvae Genet.* 14:46-56.
- Sweet, G.B. 1995. Seed orchards in development. *Tree Physiol.* 15:527-530.
- Sweet, G.B., and Bollman, M.P. 1972. Regional variation in Douglas-fir seed yields. *N.Z. J. For.* 17:74-80.
- Sweet, G.B., and Krugman, S.L. 1977. Flowering and seed production problems, and a new concept of seed orchards. In Brown, A.G., and Palmberg, C.M. (eds.), *Proc. FAO/IUFRO Third World Consultation Forest Tree Breeding*, Vol. 2, Canberra, Australia, 21-26 March 1977, CSIRO, Canberra, Australia. pp. 749-759.
- Sziklai, O. 1963. Variation and inheritance of some phsysiological and morphological traits in *Pseudotsuga menziesii* (Mirb.) Franco var. *menziesii*. Ph. D. thesis. University B.C. 136 p.
- Sziklai, O. 1965. Variation and inheritance of some physiological and morphological traits in *Pseudotsuga menziesii* (Mirb.) Franco var. *menziesii*. For. Genet. Workshop, Kellogg BioI. Stn., Mich. State University Pap. 25 p.
- Sziklai, O. 1990. Douglas-fir provenance-progeny test at Haney B.C., Canada. In Proc. Joint Meeting Western Forest Genetics Assoc. and IUFRO Working Parties S2.02-05, 06, 12, and 14 Douglas-fir, contorta pine, Sitka spruce, and *Abies* breeding and genetic resources, Olympia, WA, 20-24 Aug. 1990, Weyerhaeuser Co., Federal Way, WA. pp. 2.313-2.321.
- Temel, F., and Johnson, G.R. 2001. Early testing of Douglas-fir for Swiss needle cast tolerance. In Filip, G. (ed.), *Swiss Needle Cast Research Cooperative Annual Report*, 2001, Forest Research Laboratory, Oregon State University, Corvallis. pp. 36-40.
- Temel, F., and Adams, W.T. 2000. Persistence and age-age genetic correlations of stem defects in coastal Douglas-fir (*Pseudotsuga menziesii* var. *menziesii* (Mirb.) Franco). *For. Genet.* 7:145-153.
- Timmis, R., Flewelling, J., and Talbert, C. 1994. Frost injury prediction model for Douglas-fir seedlings in the Pacific Northwest. *Tree Physiol.* 14:855-869.
- Tusko, F.F. 1963. A study of variability in certain Douglas-fir populations in British Columbia. Ph.D. thesis. Dep. Biol. and Bot., University B.C. 173 p.
- U.S. Department of Agriculture, Forest Service. 1963. The 1912 Douglas-fir heredity study. Pac. Northwest For. and Range Exp. Stn. Annu. Rep., Portland, OR. pp. 4-7.

- Unterschuetz, R., Ruetz, W.F., Geppert, R.R.. and Ferrell, W.K. 1974. The effect of age, preconditioning and water stress on transpiration rates of Douglas-fir seedlings of several ecotypes. *Physiol. Plant.* 32:214-221.
- van den Driessche, R. 1973. Foliar nutrient concentration differences between provenances of Douglas-fir. *Can. J. For. Res.* 3:323-328.
- van den Driessche, R. 1969. Influence of moisture supply, temperature, and light on frost-hardiness changes in Douglas-fir seedlings. *Can. J. Bot.* 47:1765-1772.
- van Vredenburch, C.L.H., and LaBastide, J.G.A. 1969. The influence of meteorological factors on the cone crop of Douglas-fir in the Netherlands. *Silvae Genet.* 18:182-186.
- Vargas-Hernandez, J., and Adams, W.T. 1991. Genetic variation of wood density components in young coastal Douglas-fir: implications for tree breeding. *Can. J. For. Res.* 21:1801-1807.
- Vargas-Hernandez, J.J., Adams, W.T., and Joyce, D.G.. 2003. Quantitative genetic structure of stem form and branching traits in Douglas-fir seedlings and implications for early selection. *Silvae Genet.* 52:36-44.
- von Rudloff, E. 1972. Chemosystematics studies in the genus *Pseudotsuga*. I. Leaf oil analysis of the coastal and Rocky Mountain varieties of the Douglas-fir. *Can. J. Bot.* 50:1025-1040.
- von Rudloff, E. 1973. Chemosystematic studies in the genus *Pseudotsuga*. III. Population differences in British Columbia as determined by volatile leaf oil analysis. *Can. J. For. Res.* 3:443-452.
- von Stephan, B.R. 1973. Susceptibility and resistance of Douglas-fir provenances to rhabdocline needle cast. First results of provenance trials in northwest Germany. In *Proc. Int. Union For. Res. Organ. Work. Party Douglas-fir Provenances*, Gottingen, West Germany. p. 5158.
- Waring, R.H. 1970. Matching species to site. In *Regeneration of ponderosa pine*. Oregon State University, Sch. For., Symp. Proc., p. 54-61.
- Wartenberg, D. 1985. Canonical trend surface analysis: a method for describing geographic patterns. *Systematic Zoology* 34:259-279.
- Webber, J.E. 1995. Pollen management for intensive seed orchard production. *Tree Physiol.* 15:507-514.
- Webber, J.E., and Painter, R.A. 1996. Douglas-fir pollen management manual, 2nd ed. Research Branch, B.C. Ministry Forests Working Paper 02/1996, Victoria.
- Westfall, R.D., and Conkle, M.T. 1992. Allozyme markers in breeding zone designation. *New For.* 6:279-309.
- Wheat, J. 1966. IFA Tree Improvement Newsletter No. 3, Tree Improvement Laboratory, Rt. 2, Box 3226, Olympia, WA.
- Wheat, J., and Silen, R. 1977. Cooperative tree improvement in the Douglas-fir region. In Brown, A.G., and Palmberg, C.M. (eds.), *Proc. FAO/IUFRO Third World Consultation Forest Tree Breeding*, Vol. 2, Canberra, Australia, 21-26 March 1977, CSIRO, Canberra, Australia. pp. 1215-1220.
- Wheat, J.G. 1964. Rooting of cuttings from mature Douglas-fir. *For. Sci. Note* 10:319-320.
- Wheat, J.G. 1965. Susceptibility to Cooley's woolly aphid. *IFA Tree Improv. Newsl.* No.2, p. 5. Olympia, Wash.
- Wheeler, N.C., Stonecypher, R.W., and Jech, K.S. 1990. Physiological characterization of select families to aid in source movement decisions: supplementing long-term performance trials. In *Proc. Joint Meeting Western Forest Genetics Association and IUFRO*.
- Wheeler, N.C., and Jech, K.S. 1986. Pollen contamination in a mature Douglas-fir seed orchard. In Weir, R.J. (ed.), *Proc. IUFRO Conf on breeding theory, progeny testing and seed orchards*, Williamsburg, VA, Oct. 13-17 1986, North Carolina State University, Raleigh. pp. 160-171.
- Wheeler, N.C., and Jech, K.S. 1986. Estimating supplemental mass pollination (SMP) success electrophoretically. In Caron, G.E., Corriveau, A.G., and Boyle, T.J.B. (eds.), *New ways in forest genetics*, Proc. 20th Canadian Tree Improvement Assoc. Meeting, Québec City, Québec, 19-22 Aug. 1985, Canadian Forestry Service, Ottawa. p. 111-120.
- Wheeler, N.C., and Jech, K.S. 1988. Supplemental mass pollination (SMP) in Douglas-fir seed orchards: biological efficacy and economic evaluation. *Weyerhaeuser Tech. Rep.* 050-3210/25.

- Wheeler, N.C., and Jech, K.S. 1992. The use of electrophoretic markers in seed orchard research. *New Forests* 6:311-328.
- Wheeler, N.C., Masters, C.J., Cade, S.C., Ross, S.D., Keeley, J.W., and Hsin, L.Y. 1985. Girdling: an effective and practical treatment for enhancing seed yields in Douglas-fir seed orchards. *Can. J. For. Res.* 15:505-510.
- Wheeler, N.C., Jermstad, K.D., Krutovsky, K., Aitken, S.N., Howe, G.T., Krakowski, J., and Neale, D.B. 2005. Mapping of quantitative trait loci controlling adaptive traits in coastal Douglas-fir. IV. Cold-hardiness QTL verification and candidate gene mapping. *Mol. Breed.* (in press).
- Wheeler, N.C., Stonecypher, R.W., and Jech, K.S. 1990. Physiological characterization of select families to aid in source movement decisions: Supplementing long-term performance trials. In *Proc. Joint Meeting Western Forest Genetics Assoc. and IUFRO Working Parties S2.02-05, 06, 12, and 14, Douglas-fir, contorta pine, Sitka spruce, and Abies breeding and genetic resources, Olympia, WA, 20-24 Aug. 1990*, Weyerhaeuser Co., Federal Way, WA. pp. 2.362-2.377.
- White, T.L., and Hodges, G.R. 1989. Predicting breeding values with applications in forest tree improvement. Dordrecht: Kluwer Academic Publishers.
- White, T. 1992. Advanced-generation breeding populations: Size and structure. In Lambeth, C.C., and Dvorak, W. (eds.), *Proc. IUFRO Conf. S2.02-08, breeding tropical trees-resolving tropical forest resource concerns through tree improvement, gene conservation, and domestication of new species, Cartagena-Cali, Colombia, 12-16 October 1992*, CAMCORE, North Carolina State University, Raleigh. p. 208-222.
- White, T.L. 1987. Drought tolerance of southwestern Oregon Douglas-fir. *For. Sci.* 33:283-293.
- White, T.L., and Ching, K.K. 1985. Provenance study of Douglas-fir in the Pacific Northwest region. IV. Field performance at age 25 years. *Silvae Genet.* 34:84-90.
- White, T.L., Ching, K.K., and Walters, J. 1979. Effects of provenance, years, and planting location on bud burst of Douglas-fir. *For. Sci.* 25:161-167.
- Wilcox, M.D. 1968. The genetic improvement of Douglas-fir in New Zealand. N.Z. For. Serv., For. Res. Inst., Genet. and Tree Improv. Rep. No. 37. 80 p.
- Wilcox, M.D. 1974. Douglas fir provenance variation and selection in New Zealand. N.Z. For. Serv., For. Res. Inst., Genet. and Tree Improv. Rep. No. 69. 8 p.
- Willis, C.P., and Hofmann, J.V. 1915. A study of Douglas-fir seed. *Proc. Soc. Am. For.* 10:141-164.
- Wilson, B.C. 1969. Paper bags and tags for controlled pollination of Douglas-fir. *For. Sci.* 15:143-144.
- Winjum, J.K., and Johnson, N.E. 1962. Estimating cone crops in young Douglas-fir. *Weyerhaeuser Res. Cent. Res. Note 46*, Centralia, WA. 12 p.
- Wolfe, J.A. 1969. Neogene floristic and vegetational history of the Pacific Northwest. *Madrono* 20:83-110.
- Woods, J., King, J., and Cartwright, C. 1995. Early genetic gains verified in realized-gain trials of coastal Douglas-fir and western hemlock. B.C. Ministry Forests Extension Note 01, Victoria.
- Woods, J.H. 1989. Stem girdling to increase seed and pollen production of coast Douglas-fir. B.C. Ministry Forests Res. Note. No. 103, Victoria.
- Woods, J.H. 1993. Breeding programs and strategies for Douglas-fir in North America. In Park, Y.S., and Adams, G.W. (eds.), *Breeding strategies of important tree species in Canada*. Natural Resources Canada, Fredericton, N.B. Inform. Rep. M-X-186E. pp. 1-ll.
- Woods, J.H., and Stoehr, M. 1993. Inbreeding effects on the seed production, nursery production, and early field growth of Douglas-fir. In *Proc. Western Forest Genetics Assoc. Annual Meeting, Oahu, HI, 4-8 October 1993*.
- Woods, J.H., Kolotelo, D., and Yanchuk, A.D. 1995. Early selection of coastal Douglas-fir in a farm-field test environment. *Silvae Genet.* 44:178-186.
- Woods, J.H., Wang, T., and Aitken, S.N. 2002. Effects of inbreeding on coastal Douglas-fir: nursery performance. *Silvae Genet.* 51:163-170.
- Worthington, N.P. 1958. How much Douglas-fir will grow on an acre? *J. For.* 56:763-764.
- Wright, J.W. 1976. *Introduction to forest genetics*. Academic Press, New York.

- Wright, J.W., Kung, F.H., Read, R.A., Lemmien, W.A., and Bright, J.N. 1971. Genetic variation in Rocky Mountain Douglas-fir. *Silvae Genet.* 20:54-60.
- Wu, R.L., Zeng, Z.-B., McKeand, S.E., and O'Malley, D.M. 2000. The case for molecular mapping in forest tree breeding. *Plant Breeding Rev.* 19:41-68.
- Yanchuk, A.D. 1996. General and specific combining ability from disconnected partial diallels of coastal Douglas-fir. *Silvae Genet.* 45:37-45.
- Yanchuk, A.D. 2001. A quantitative framework for breeding and conservation of forest tree genetic resources in British Columbia. *Can. J. For. Res.* 31:566-576.
- Yanchuk, A.D. 2001. The role and implications of biotechnological tools in forestry. *Unasylva* 52:53-61.
- Yanchuk, A.D., and Lester, D.T. 1996. Setting priorities for conservation of the conifer genetic resources of British Columbia. *For. Chron.* 72:406-415.
- Yao, C. 1971. Geographic variation in seed weight, some cone scale measurements and seed germination of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco). M.S. thesis. University B. C., Vancouver. 88 p.
- Yeh, F.C., and Heaman, C. 1982. Heritabilities and genetic and phenotypic correlations for height and diameter in coastal Douglas-fir. *Can. J. For. Res.* 12:181-185.
- Yeh, F.C., and Heaman, J.C. 1987. Estimating genetic parameters of height growth in seven-year-old coastal Douglas-fir from disconnected diallels. *For. Sci.* 33:946-957.
- Yeh, F.C., and O'Malley, D. 1980. Enzyme variations in natural populations of Douglas-fir, *Pseudotsuga menziesii* (Mirb.) Franco, from British Columbia. I. Genetic variation patterns in coastal populations. *Silvae Genet.* 29:83-92.
- Zalewska, Z. 1961. Coniferae: Taxaceae, Podocarpaceae, Pinaceae, Taxodiaceae, Cupressaceae. Flora kapalna Turowa Kolo Bogatyni 2 (2). Frace Mus. Ziemi No.4. Frace Paleobotaniezne, (English summary, pp. 93-102). pp. 19-49.
- Zavarin, E., and Snajberk, K. 1973. Geographical variability of monoterpenes from cortex of *Pseudotsuga menziesii*. *Pure Appl. Chem.* 34:411-434.
- Zavarin, E., and Snajberk, K. 1975. *Pseudotsuga menziesii* chemical races of California, Oregon. *Biochem. Syst. and Ecol.* 2:121-130.
- Zavarin, E., and Snajberk, K. 1976. Geographic differentiation of cortical monoterpenoids of *Pseudotsuga macrocarpa*. *Biochern. Syst. and Ecol.* 4:93-96.
- Zavitkovski, J., and Ferrell, W.K. 1968. Effect of drought upon rates of photosynthesis, respiration, and transpiration of seedlings of two ecotypes of Douglas-fir. *Bot. Gaz.* 129:346-350.
- Zavitkovski, J., and Ferrell, W.K. 1970. Effect of drought upon rates of photosynthesis, respiration, and transpiration of seedlings of two ecotypes of Douglas-fir. 2. Two year-old seedlings. *Photosynthetica* 4:58-67.